

## Means

### Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
SMEAN(age)	300	100.0%	0	0.0%	300	100.0%

### Report

SMEAN(age)

Mean	N	Std. Deviation	Minimum	Maximum
24.3647	300	6.76186	18.00	56.00

## Frequencies

### Statistics

grade

N	Valid	300
	Missing	0

### Grade

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	bachelor	277	92.3	92.3	92.3
	master	22	7.3	7.3	99.7
	doctorate	1	.3	.3	100.0
	Total	300	100.0	100.0	

### Means

#### Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
BICI	300	100.0%	0	0.0%	300	100.0%
SCCS	300	100.0%	0	0.0%	300	100.0%
PACS	300	100.0%	0	0.0%	300	100.0%
IBIS	300	100.0%	0	0.0%	300	100.0%

#### Report

	BICI	SCCS	PACS	IBIS
Mean	42.2543	31.2844	12.6301	20.9851
N	300	300	300	300
Std. Deviation	12.66422	8.31188	11.09109	5.18583
Minimum	19.00	3.00	.00	.00
Maximum	85.00	48.00	44.00	30.00

### Correlations

		BICI	SCCS	PACS	IBIS
BICI	Pearson Correlation	1	-.435**	.698**	.228**
	Sig. (2-tailed)		.000	.000	.000
	N	300	300	300	300
SCCS	Pearson Correlation	-.435**	1	-.394**	-.179**
	Sig. (2-tailed)	.000		.000	.002
	N	300	300	300	300
PACS	Pearson Correlation	.698**	-.394**	1	.222**
	Sig. (2-tailed)	.000	.000		.000
	N	300	300	300	300
IBIS	Pearson Correlation	.228**	-.179**	.222**	1
	Sig. (2-tailed)	.000	.002	.000	
	N	300	300	300	300

\*\* . Correlation is significant at the 0.01 level (2-tailed).

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.698 <sup>a</sup>	.488	.486	9.07821
2	.720 <sup>b</sup>	.518	.515	8.82187
3	.722 <sup>c</sup>	.521	.516	8.80656

a. Predictors: (Constant), PACS

b. Predictors: (Constant), PACS, SCCS

c. Predictors: (Constant), PACS, SCCS, IBIS

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	23395.068	1	23395.068	283.873	.000 <sup>b</sup>
	Residual	24559.324	298	82.414		
	Total	47954.392	299			
2	Regression	24840.258	2	12420.129	159.590	.000 <sup>c</sup>
	Residual	23114.134	297	77.825		
	Total	47954.392	299			
3	Regression	24997.944	3	8332.648	107.441	.000 <sup>d</sup>
	Residual	22956.447	296	77.556		
	Total	47954.392	299			

- a. Dependent Variable: BICI
- b. Predictors: (Constant), PACS
- c. Predictors: (Constant), PACS, SCCS
- d. Predictors: (Constant), PACS, SCCS, IBIS

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	32.181	.795		40.476	.000
	PACS	.798	.047	.698	16.849	.000
2	(Constant)	42.259	2.463		17.158	.000
	PACS	.713	.050	.624	14.235	.000
	SCCS	-.288	.067	-.189	-4.309	.000
3	(Constant)	39.076	3.321		11.766	.000
	PACS	.700	.051	.613	13.820	.000
	SCCS	-.278	.067	-.182	-4.148	.000
	IBIS	.144	.101	.059	1.426	.155

- a. Dependent Variable: BICI

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.698 <sup>a</sup>	.488	.486	9.07821
2	.720 <sup>b</sup>	.518	.515	8.82187

a. Predictors: (Constant), PACS

b. Predictors: (Constant), PACS, SCCS

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	23395.068	1	23395.068	283.873	.000 <sup>b</sup>
	Residual	24559.324	298	82.414		
	Total	47954.392	299			
2	Regression	24840.258	2	12420.129	159.590	.000 <sup>c</sup>
	Residual	23114.134	297	77.825		
	Total	47954.392	299			

a. Dependent Variable: BICI

b. Predictors: (Constant), PACS

c. Predictors: (Constant), PACS, SCCS

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	32.181	.795		40.476	.000
	PACS	.798	.047	.698	16.849	.000
2	(Constant)	42.259	2.463		17.158	.000
	PACS	.713	.050	.624	14.235	.000
	SCCS	-.288	.067	-.189	-4.309	.000

a. Dependent Variable: BICI